

NEW GENERATION LAY5S PRODUCT CATALOG











Product Description

- Complete LAY5s button switches series: Standard type button and Economic type button. which including Self-restoring button, Self-Locking button, Light button, Waterproof button, 40 mm mushroom button, 460 mm Emergency button, double headed button, Handle knob button, Key button and Emergency stop button switch etc.
- LAY5S Covers 5 categories of Standard type button switch, Economic type button switch, Indicator, Buzzer, Complete button box.
 All are 22mm installation diameter
- Complete accessories: Button head, Contacts module, Indicate label, Light module, self-locking module and push button box

Product Advantage

1. Complete Specification, One-Stop Shopping

New indicator, Buzzer, Push button box Complete specification for One-stop shopping

2. Reassuring Warranty

6000V withstand voltage, Good insulation performance 3,000,000 times mechanical life, lasting and durable Long wanrrantee period 24 months, reassuring after-sale service

3. Touch Feel Comfortable, Uniform appearance

International arc design
Beauty color and standard 22mm installation diameter

Industry Application



Machinery industry



Factory



Engineering project



Maintenance replacement



Technical Parameter

	Standard & Economic type	Push button box	Indicator	Buzzer	
Operate Temperature		-25°C to +40°C			
Connection	screw pressed ty	screw pressed type terminal, Min. 1*0.5 mm2, Max. 2*1.5 mm2 or 1*2.5 mm2			
Rated Insulation Voltage		60	0V		
Ith		10A、6A(push button box)		
Ue	110V	22	0V	380V	
AC-15	-	3.3	3A	2A	
DC-13	1.1A	0.4	5A	-	
Protection Degree		IP54、IP65	(waterproof button)		
Electric Life(x10,000times)	AC-15 category: Ue=380V, DC-13 category: Ue=110V,		-	-	
Mechanical Life (x10,000times)	flush / mushroom type:300 other(handle/key/emergen	0 ,,	-	-	
Standard		IEC 60947-5-1 GB/T 14048.5			
Buzzer sound	-	-	-	85DB/10cm	

Standard Type & Economic Type





























Product function	Catagory	Color	Head	Flush symbol	Reference Model
standard flush self-restoring	LAY5sBA				LAY5sBA11
economic flush self-restoring	LAY5sEA				LAY5sEA23
standard flush self-locking	LAY5sBZ				LAY5sBZ32
economic flush self-locking	LAY5sEZ				LAY5sEZ45
standard waterproof self-restoring	LAY5sBF		1: 1NO		LAY5sBF55
economic waterproof self-restoring	LAY5sEF	1:white O	2: 1NC 3: 2NO	31: I 32: O	LAY5sEF50
standard high button	LAY5sBL	3:green • 4:red • 5:yellow •	4: 2NC 5: 1NO+1NC	33: START	LAY5sBL55
economic high button	LAY5sEL	6:blue	0: no auxiliary contacts	35: ↑	LAY5sEL51
standard ⊕40 mushroom button	LAY5sBC		Z: only head		LAY5sBC45
economic ⊕40 mushroom button	LAY5sEC				LAY5sEC31
standard Φ60 mushroom button	LAY5sBR				LAY5sBR35
economic Ф60 mushroom button	LAY5sER				LAY5sER45

Product function	Catagory	Color	Head	Flush symbol	Reference Model
standard flush self-restoring with light	LAY5sBW3	1:white 3:green	B: 24V F: 110V	1: 1NO 2: 1NC 3: 2NO	LAY5sBW3M2
economic flush self-restoring with light	LAY5sEW3	4:red 5:yellow 6:blue	M: 220V Q: 380V	4: 2NC 5: 1NO+1NC Z: only head	LAY5sBW3T1

Standard Type & Economic Type





Product function	Catagory	Head	Contact type	Reference Model
standard double head	LAY5sBL8	32: 2 flush black head	5: 1NO+1NC	LAY5sBL8325
economic double head	LAY5sEL8	42: black 1 flush 1 high	z: only head	LAY5sBL8425





Product function	Catagory	Voltage	Contact type	Reference Model
standard double head with light	LAY5sBW84	B: 24V F: 110V	5: 1NO+1NC	LAY5sBW84M5
economic double head with light	LAY5sEW84	M: 220V Q: 380V	z: only head	LAY5sBW84F5













Product function	Catagory	Operate type	Contact type	Reference Model
standard handle button	LAY5sBD			LAY5sBD21
economic handle button	LAY5sED	2: 2 self-locking 3: 3 self-locking 4: 2 self-restoring 5: 3 self-restoring		LAY5sBD23
standard handle knob	LAY5sBJ		1: 1NO 5: 1NO+1NC	LAY5sBJ21
economic handle knob	LAY5sEJ		z: only head	LAY5sBJ23
standard key button	LAY5sBG	0: 3self-locking, 3out 2: 2self-locking, left out 3: 3self-locking, middle		LAY5sBG35
economic key button	LAY5sEG	4: 2self-locking, 2out 5: 2self-restoring, left o 6: 3self-restoring, middl		LAY5sBG32





Product function	Catagory	Head	Contact type	Reference Model
standard handle reset emergency button	LAY5sBS	44: red Φ30		LAY5SBS442
economic handle reset emergency button	LAY5sES	54: red Φ40 64: red Φ60	2: 1NC 5: 1NO+1NC	LAY5SBS542
standard press reset emergency button	LAY5sBT	4: red ⊕40	z: only head	LAY5SBT644
economic key reset emergency button	LAY5sBU			LAY5SBT644

Indicator & Buzzer



Product function	Catagory	Voltage	Color	Reference Model
Indicator	LAY5sZS	T: 6V J: 12V B: 24V C: 36V E: 48V F: 110V M: 220V	1:white 3:green 4:red 5:yellow 6:blue	LAY5sZST1
		Q: 380V	6:blue	



Product function	Catagory	Show type	Voltage	Color	Reference Model
Buzzer	LAY5sFM	1: Intermittent type 2: Continuous type		2:black ●	LAY5SF22M
		3: Intermittent twink 4: Continuous light	de type	4:red • 5:yellow •	

Complete Button Box









Product function	Reference Model	Added button Model	Reference Combine Model
1 hole white face Self-restoring flush Button box	LAY5sHZ11	LAY5sBA31 standard 1NO Green LAY5sBA42 standard 1NC Red LAY5sEA31 economic 1NO Green LAY5sEA42 economic 1NC Red	LAY5sHZ11BA31 LAY5sHZ11BA42 LAY5sHZ11EA31 LAY5sHZ11EA42
1 hole yellow face Emergency Push Button box	LAY5sHZ15	LAY5sBS442 standard Φ30 1NC LAY5sBS542 standard Φ40 1NC LAY5sBS642 standard Φ60 1NC LAY5sES442 economic Φ30 1NC LAY5sES542 economic Φ40 1NC LAY5sES642 economic Φ60 1NC	LAY5sHZ15BS442 LAY5sHZ15BS542 LAY5sHZ15BS642 LAY5sHZ15ES442 LAY5sHZ15ES542 LAY5sHZ15ES642
2 hole white face Button box	LAY5sHZ21		
3 hole yellow face Button box	LAY5sHZ31		

Accessory



Product function	Catagory	Contact type	Reference Model
Auxiliary contact	LAY5sBE10	1: 1NO 2: 1NC	LAY5sBE101



Product function	Catagory	Contact type	Reference Model
Auxiliary contact with base	LAY5sBE20	1: 1NO 2: 1NC 3: 2NO 4: 2NC 5: 1NO+1NC	LAY5sBE201



Product function	Catagory	Reference Model
Self-locking modular	LAY5sBE30	LAY5sBE30



Product function	Catagory	Color	Voltage	Reference Model
Light modular	LAY5sBE40	1:white 3:green 4:red 5:yellow 6:blue	T: 6V B: 24V F: 110V M: 220V Q: 380V	LAY5sBE401M



Product function	Catagory	Color	Reference Model
Protect cover	LAY5sBE50	1:white O	
		2:black	
		3:green	
		4:red	LAY5sBE505
		5:yellow O	
		6:blue	



Product function	Catagory	Color	Reference Model
Sign label	LAY5sBE60	2:black • 4:red • 5:yellow •	LAY5sBE602



Product function	Marking	Reference Model
Round sign label	Yellow background black word EMERGENCY STOP	LAY5sBE705